

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1284, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 12/6/96		3. REPORT TYPE AND DATES COVERED Final - 10/1/88 - 8/31/96
4. TITLE AND SUBTITLE Research on Self-Generated Stochastic Motion			5. FUNDING NUMEERS N00014-89-J-1079 N00014-95-I-0361	
6. AUTHOR(S) Professor A. J. Lichtenberg				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, Berkeley Electronics Research Laboratory 253 Cory Hall Berkeley, CA 94705-1774			8. PERFORMING ORGANIZATION REPORT NUMBER 442427-23073	
9. SPNSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Ballson Tower One 800 North Quincy Street Arlington, VA 22217-5600			10. SPONSORING / MONITORING AGENCY  ONR	
11. SUPPLEMENTARY NOTES  n/a				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution Unlimited				
13. ABSTRACT (Maximum 200 words) The purpose of the research was to study the proceses by which stochastic motion is self-generated in deterministic systems, and the consequences of the resulting stochasticity.				
14. SUBJECT TERMS  diffusion through stochastic webs, diffusion along resonances, equipartition in oscillator chains			15. NUMBER OF PAGES 8	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified	20. LIMITATION OF ABSTRACT none	

19961213 100

## Final Report

ONR Contract N00014-89-J-1079

ONR Contract N00014-95-I-0361

## RESEARCH ON SELF-GENERATED STOCHASTIC MOTION

1 October 1988 – 31 August 1996

### I. Summary of Technical Accomplishments

The purpose of the research under this contract was to study the processes by which stochastic motion is self-generated in deterministic systems, and the consequences of the resulting stochasticity. We consider representative problems, each of which incorporates one or more of the main underlying physical phenomena. Phenomena that we have studied under this contract include diffusion through stochastic webs, diffusion along resonances in more than two degrees of freedom (Arnold diffusion), equipartition in oscillator chains, and the dynamics of coupled dissipative systems, such as phase locking, chaos, synchronization, and synchronized chaos.

#### 1. *Diffusion Through Stochastic Webs*

Diffusion has been explored in a two-dimensional phase space in which a connected separatrix layer (web) of intrinsic stochasticity bounds regions of regular motion (tiles). In the presence of weak extrinsic noise, if the web diffusion dominates, the noise slows the web diffusion rate; if the extrinsic

diffusion dominates, the diffusion is enhanced. Analytic calculations agree well with numerical results (Pub. 1, 4).

## 2. *Arnold Diffusion*

When several standard maps are coupled together, KAM surfaces cannot isolate stochastic regions, and particles diffuse along stochastic layers by the process of Arnold diffusion. For the case of two coupled standard maps the rate of Arnold diffusion has been calculated both locally around a particular KAM curve and globally across many cells of the  $2\pi$  periodic mapping. When more than two standard maps are coupled, the diffusion rate increases, depending on the total number of maps,  $N$ , and the number of phases in each coupling term,  $m$ , where  $2 \leq m \leq N$ . As  $N$  is increased, the diffusion rate increases as  $N^{1/2}$ , the length of the diagonal in the action space. As  $m$  is increased, the diffusion rate increases because the phase of the coupling term for a particular map becomes less correlated with the phase of the map itself. An analytic calculation of local diffusion for the  $m$  and  $K$  dependence has been developed, which is in good agreement with numerical results. The calculated local rate of diffusion and global phase space arguments are used to calculate the global diffusion (Pub. 7, 18).

## 3. *Equipartition in Coupled Oscillator Chains*

The energy transitions and time scales have been studied in the Fermi-Pasta-Ulam (FPU) oscillator chain and in a set of coupled pendula, for which the energy  $E$ , initially in a single or small group of low frequency modes, is distributed among modes. The energy transitions, with increasing energy,

have been classified. At low energy the linear parts of the energies are distributed in a geometrically decreasing series. A transition occurs such that above this transition there is strong local coupling among neighboring modes with a characteristic resonant frequency. There is a second transition at a critical energy for which stochasticity among low-frequency resonances transfers energy into high-frequency resonances by the Arnold diffusion mechanism. Above this transition we determine a universal scaling for the time scale to approach equipartition among the modes (Pub. 6, 16, 23, 24).

#### 4. *Chaos and Synchronization in Coupled Phase-Locked Loops*

A broad study has been undertaken to study the chaos, synchronization, and synchronized chaos in coupled dissipative mappings. The device used for this exploration was digital phase-locked loops (DPLL's). The study also concerned the use of synchronized chaos in communications applications, in collaboration with industry. The basic work has also been supported with an AASERT grant administered by the ONR contract.

A single first order DPLL is topologically equivalent to a circle map, having the generic properties of phase-locking and chaos above a certain gain threshold. Coupled non-uniformly sampling DPLL's have interesting new dynamics which arise from a new class of coupled mappings. These have been studied theoretically, numerically, and experimentally. It was shown that chaotic signals can be synchronized, with a possible application to low-probability-of-intercept communication. Recent work has concerned theoretical and numerical studies of the behavior of many coupled loops, with

various coupling configurations, and the effect of noise on synchronization (Pub. 2, 5, 8, 12, 14, 15, 20, 21, 22, 27).

#### 5. *Stochasticity in Toroidal Plasmas*

Various studies have been made of stochasticity and diffusion in toroidally confined plasmas. Some of the mechanisms that have been considered concern parametricly driven diffusion, resonance overlap, and large amplitude effects of instabilities. The results have supplied explanations for enhanced loss across edge plasmas and for the sawtooth oscillations in Tokamak discharges (Pub. 9, 10, 17, 18).

#### 6. *Control of Chaos*

We have had two projects in this area. The first was a study of the control of a platoon of automated vehicles. We have shown that linear controllers lead to unacceptably long stopping distances under extreme conditions. A nonlinear controller can also be used to supply beneficial nonlinear forces. For example, a nonlinear controller can apply the largest brake force when a vehicle is about to collide with its preceding vehicle, which can greatly shorten the stopping distance for a large amplitude event. However, nonlinearities also introduce forces that can lead to chaotic behavior.

Recent work concerns controlling chaos using nonlinear feedback with delay. Nonlinear feedback results in a larger basin of attraction to the stabilized orbit than linear feedback. For the simple test mapping studied (the logistic map) the dimension of the system increases from 1 to 2 by introducing control. We show in the case involving memory, for a particular choice of the

relationship between the control parameters, that the superstable orbit can be recovered without reducing the parameter space that can be controlled (Pub. 25, 27).

## II. Papers Published in Refereed Journals

- (1) A. J. Lichtenberg and B. P. Wood, "Diffusion Through a Stochastic Web," *Phys. Rev. A* **39**, 2153 (1989).
- (2) G. M. Bernstein, M. A. Lieberman, and A. J. Lichtenberg, "Nonlinear Dynamics of a Digital Phase Locked Loop," *IEEE Trans. on Communications* **37**, 1062 (1989).
- (3) A. J. Lichtenberg and A. Ujihara, "Application of Nonlinear Mapping Theory to Commodity Price Fluctuations," *J. of Math. Econ. and Control* **13**, 225 (1989).
- (4) A. J. Lichtenberg and B. P. Wood, "Diffusion on Two Space and Time Scales," *Phys. Rev. Lett.* **62**, 2213 (1989).
- (5) G. M. Bernstein and M. A. Lieberman, "A Method for Obtaining a Hamiltonian for Nonlinear LC Circuits," *IEEE Trans. Circuits and Systems* **36**, 411 (1989).
- (6) C. G. Goedde, A. J. Lichtenberg, and M. A. Lieberman, "Parametric Instabilities in the Discrete Sine-Gordon Equation," *Physica D* **41**, 341 (1990).
- (7) B. P. Wood, A. J. Lichtenberg, and M. A. Lieberman, "Arnold Diffusion in Weakly Coupled Standard Maps," *Phys. Rev. A* **42**, 5885 (1990).

- (8) M. de Sousa Vieira, A. J. Lichtenberg, and M. A. Lieberman, "Nonlinear Dynamics of Self-Synchronizing Systems," *Int. J. of Bifurcations and Chaos* **1**, 691 (1991).
- (9) A. J. Lichtenberg, K. Itoh, S.-I. Itoh, and A. Fukuyama, "The Role of Stochasticity in Sawtooth Oscillations," *Nucl. Fusion* **32**, 495 (1992).
- (10) S. E. Parker, X. Q. Xu, A. J. Lichtenberg, and C. K. Birdsall, "Evidence of Stochastic Diffusion Across a Cross-Field Sheath," *Phys. Rev. A* **45**, 3949 (1992).
- (11) A. J. Lichtenberg, "The Application of Mappings to Physical Systems," *Proc. Physics Summer School on Nonlinear Dynamics and Chaos*, R. L. Dewar and B. I. Henry, Eds., Australian National Univ., World Scientific, pp. 277-319 (1991).
- (12) J. Gullicksen et al., "Secure Communication by Synchronization to a Chaotic Signal," *Proc. 1st Exp. Chaos Conf.*, S. Vohra et al, Eds., World Scientific, pp. 137-144 (1991).
- (13) A. J. Lichtenberg and M. A. Lieberman, *Regular and Chaotic Dynamics*, 2nd Ed., Springer-Verlag, *Appl. Math. Sci.* **38**, New York (1992).
- (14) M. de Sousa Vieira et al., "Numerical and Experimental Studies of Self-Synchronization and Synchronized Chaos," *Int. J. Bifur. and Chaos* **2**, 645 (1992).
- (15) M. de Sousa Vieira, A. J. Lichtenberg, and M. A. Lieberman, "Synchronization of Regular and Chaotic Systems," *Phys. Rev. A, Rapid Comm.* **46**, 7359 (1992).

- (16) C. G. Goedde, A. J. Lichtenberg, and M. A. Lieberman, "Chaos and the Approach to Equilibrium in the Sine-Gordon Equation," *Physica D* **59**, 200 (1992).
- (17) A. J. Lichtenberg, "Arnold Diffusion in a Torus with Time-Varying Fields," *Phys. Fluids B* **4**, 3132 (1992).
- (18) A. Fukuyama, K. Itoh, S.-I. Itoh, S. Tsuji, and A. J. Lichtenberg, "Stochasticity-Driven Disruptive Phenomena in Tokamaks," *14th Int'l. Conf. on Controlled Fus. Res.*, IAE CN 56/D-4-2 (October 1992).
- (19) B. P. Wood, A. J. Lichtenberg, and M. A. Lieberman, "Arnold and Arnold-Like Diffusion in Many Dimensions," *Physica D* **71**, 132 (1994).
- (20) W. E. Wonchoba, M. A. Lieberman, and A. J. Lichtenberg, "The Dynamics of a Class of Digital Oscillators," *Nonlinearity* **7**, 1695 (1994).
- (21) M. de Sousa Vieira, A. J. Lichtenberg, and M. A. Lieberman, "Nonlinear Dynamics of Digital Phase-Locked Loops with Delay," *Int. J. of Bifur. and Chaos* **4**, 715 (1994).
- (22) M. de Sousa Vieira, A. J. Lichtenberg, and M. A. Lieberman, "Self-Synchronization of Many Coupled Oscillators," *Int. J. of Bifur. and Chaos* **4**, 1563 (1994).
- (23) J. DeLuca, A. J. Lichtenberg, and M. A. Lieberman, "Time Scale to Ergodicity in the Fermi-Pasta-Ulam System," *Chaos* **5**, 283 (1995).
- (24) J. DeLuca, A. J. Lichtenberg, and S. Ruffo, "Energy Transitions and Time Scales to Equipartition in the FPU Oscillator Chain," *Phys. Rev. E*, **51**, 2877 (1995).



- (25) M. Y. Cho, A. J. Lichtenberg, and M. A. Lieberman, "Minimum Stopping Distance for Linear Control of an Automatic Car-Following System," *Transactions on Vehicular Technology*, in press (1996).
- (26) M. de Sousa Vieira and A. J. Lichtenberg, "Controlling Chaos Using Nonlinear Feedback with Delay," *Phys. Rev. E*, **54**, 1200 (1996).
- (27) P. Khoury, M. A. Lieberman, and A. J. Lichtenberg, "Degree of Synchronization of Noisy Maps on the Circle," *Phys. Rev. E*, **54**, 3377 (1996).

### III. Graduate Students

G. M. Bernstein, PhD, 1989  
 C. G. Goedde, PhD, 1990  
 B. P. Wood, PhD, 1991  
 J. DeLuca, PhD, 1994  
 W. E. Wonchoba, PhD, 1995  
 P. Khoury, PhD, 1997 (Expected)  
 M. de Sousa Vieira (Post-Doctoral)